







Metal Roofing and Siding Accessories

CIRCULAR GRAVITY VENTILATORS	DESCRIPTION	WT./EA.
	12" Diameter Throat, 26 GA, w/ damper	65.0#
	12" Diameter Throat, 26 GA, w/o damper	65.0#
	20" Diameter Throat, 26 GA, w/ damper	70.0#
	20" Diameter Throat, 26 GA, w/o damper	70.0#
	<p>All ventilators have bird screen.</p> <p>Pricing shown is for ventilators mounted into a matching finish Super Span 3'-0" ridge cap having a roof slope of 1:12 or 4:12 only.</p> <p>For ventilators mounted into a Low Rib 3'-0" ridge cap or any other roof slope on a Super Span 3'-0" ridge cap (up to 6:12), add \$10.00 per vent.</p> <p>For ventilators mounted into a flat skirt, no extra charge.</p> <p>For ventilators to be slope-mounted into a 6'-0" long Super Span panel, add \$25.00 per vent.</p> <p>For 24 gauge ventilators, add 50%.</p> <p>For standard color ventilators other than Polar White, add 40%.</p> <p>For hardware required for adjustable ventilators, see page ACC-8.</p> <p>For chain operated ventilators, please inquire.</p>	
CONTINUOUS THROAT GRAVITY RIDGE VENTILATORS	DESCRIPTION	WT./EA.
	9" Throat x 10' Long, 26 GA, w/ damper	207.0#
	9" Throat x 10' Long, 26 GA, w/o damper	207.0#
	12" Throat x 10' Long, 26 GA, w/ damper	223.0#
	12" Throat x 10' Long, 26 GA, w/o damper	223.0#
	<p>All ventilators have bird screen.</p> <p>Pricing shown is for ventilators with die-formed skirts for Super Span panel only. Included with each ventilator are splice plates, end skirts, and special rope sealant.</p> <p>For ventilators mounted into a flat skirt, deduct \$25.00.</p> <p>All ventilators will conform to roof slopes up to 6:12.</p> <p>For 24 gauge ventilators, add 50%.</p> <p>For standard color ventilators other than Polar White, add 40%.</p> <p>Die-formed skirts are for Super Span panel available in 26 gauge GALVALUME ® and Polar White only.</p> <p>For hardware required for adjustable ventilators, see page ACC-8.</p> <p>For chain operated ventilators, please inquire.</p>	

Metal Roofing and Siding Accessories

RIDGELINE CORAVENT LO-PROFILE FLOATING RIDGE VENT	DESCRIPTION	WT./EA.
 <p data-bbox="199 434 349 454">Ventilation core</p> <p data-bbox="178 618 264 637">End cap</p>	<p data-bbox="654 357 978 386">7" Throat x 10' Long, 26 GA</p> <p data-bbox="664 396 1178 415">Designed for minimal ventilation with lower profile appearance.</p> <p data-bbox="664 425 1035 444">For Coravent with flat skirts, no extra charge.</p> <p data-bbox="664 454 963 473">Must specify roof slope (up to 12:12).</p> <p data-bbox="664 483 942 502">For 24 gauge Coravent, add 50%.</p> <p data-bbox="664 511 1170 531">For standard color Coravent other than Polar White, add 40%.</p> <p data-bbox="664 540 1192 589">Die-formed skirts are for Super Span panel available in 26 gauge GALVALUME® and Polar White only.</p> <p data-bbox="664 598 1028 618">End caps and splice kits are sold separately.</p> <p data-bbox="654 656 763 685">End Cap</p> <p data-bbox="671 685 835 705">(2 per run required.)</p> <p data-bbox="654 714 878 743">Optional Splice Kit</p> <p data-bbox="671 743 885 763">(Splice cover and sealant)</p>	<p data-bbox="1206 357 1270 386">65.0#</p>

Metal Roofing and Siding Accessories

VENTILATOR HARDWARE	DESCRIPTION				
	Galvanized $\frac{3}{32}$ " Vent Cable 1 $\frac{1}{2}$ " Pulley w/ Swivel Block Pulley Mounting Angle (red-oxide finish) $\frac{1}{4}$ " x 2" Eye Bolt w/ Nut Cable Clamps Vent Adjustment Hook Hand Winch Winch Mounting Angle (red-oxide finish)				
STEEL LOUVERS	WIDTH	HEIGHT	TYPE	WT./EA.	
 <p data-bbox="228 1178 549 1217">All louvers have 18 gauge frames, 20 gauge blades and choice of bird or insect screen.</p>	3'	x 3'	Fixed or Adjustable	54.0#	
	4'	x 3'	Fixed or Adjustable	72.0#	
	5'	x 3'	Fixed or Adjustable	90.0#	
	6'	x 3'	Fixed or Adjustable	108.0#	
	4'	x 4'	Fixed or Adjustable	96.0#	
	6'	x 4'	Fixed or Adjustable	144.0#	
	<p>Specify Super Span, Low Rib, Monarch, or Straight Fins.</p> <p>All louvers are fabricated with permanent fins to fit specified panel. Width of louver is measured center-to-center of fins.</p> <p>All louvers are self-framing and require no additional flashing or trim.</p> <p>If louver is to fit in an existing framed opening, this must be known.</p> <p>All adjustable louvers operate with a hand crank. For pull-chain operation, please inquire.</p> <p>All louvers are special order, require five working-day delivery and are not returnable.</p> <p>*Color louvers other than Polar White, Burnished Slate, Sahara Tan, and Light Stone require an additional 40% charge.</p>				
ROPE SEAL	DESCRIPTION				WT./EA.
	Gray Butyl Flat Tape on waterproof release paper Case of $\frac{3}{8}$ " x $\frac{3}{32}$ " (24 rolls x 50' long) 38.0# Roll of $\frac{3}{8}$ " x $\frac{3}{32}$ " x 50' long 1.5# Case of 1" x $\frac{3}{32}$ " (10 rolls x 50' long) 33.0# Roll of 1" x $\frac{3}{32}$ " x 50' long 3.3# Gray Double Bead Sealant on waterproof release paper Case of $\frac{7}{8}$ " x $\frac{3}{16}$ " (24 rolls x 25' long) 15.0# Roll of $\frac{7}{8}$ " x $\frac{3}{16}$ " x 25' long 0.7# Gray Triple Bead Sealant on waterproof release paper Case of 2 $\frac{1}{2}$ " x $\frac{3}{16}$ " (6 rolls x 20' long) 21.0# Roll of 2 $\frac{1}{2}$ " x $\frac{3}{16}$ " x 20' long 3.5#				